EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	19	SARMA-P SARMA-PURANAM-U SARMA-PURANAM-USHA SARMA-P-U	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 10:11
S2	15	MADAN-T MADAN-TARUNA	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 10:11
S3	2730	SAXENA-S SAXENA-SHWETA	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 10:12
S4	6	S3 and aspergillosis	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 11:24
S5	6	(allergic adj1 bronchopulmonary adj1 aspergillosis) same (amplif\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 11:26
S6	16	((allergic adj1 bronchopulmonary adj1 aspergillosis) or abpa or aspergillosis) same (amplif\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 11:30
S7	11	((allergic adj1 bronchopulmonary adj1 aspergillosis) or abpa or aspergillosis) same (polymorph\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 11:31
S8	5	((allergic adj1 bronchopulmonary adj1 aspergillosis) or abpa or aspergillosis) same (SP-A2 or (sp adj1 a2))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 11:33
S9	5	((allergic adj1 bronchopulmonary adj1 aspergillosis) or abpa or aspergillosis) same (SP-A2 or (sp adj1 a2) or psap or sftp1 or sftpa)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 11:33
S10	10	((allergic adj1 bronchopulmonary adj1 aspergillosis) or abpa or aspergillosis) ANd (SP-A2 or (sp adj1 a2) or psap or sftp1 or sftpa)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 11:33
S11	9	((allergic adj1 bronchopulmonary adj1 aspergillosis) or abpa or aspergillosis) ANd (SP-A2 or (sp adj1 a2) or psap or sftp1 or sftpa) AND (amplif\$8 or pcr or (polymerase adj1 chain)) AND (polymorph\$4 or variant)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 11:41

EAST Search History

S12	2227	((allergic adj1 bronchopulmonary adj1 aspergillosis) or abpa or aspergillosis or (pulmonary adj1 aspergillosis) or (aspergillosis adj1 fumigatus) or (allergic adj1 bronchopulmonary adj1 mycosis))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 11:42
S13	827	S12 AND (SNP or polymorphism or polymorphic)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 11:47
S14	49912	S12 sam3 (SNP or polymorphism or polymorphic)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 11:42
S15	9	S12 same (SNP or polymorphism or polymorphic)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 11:44
S16	2	"6403372".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 11:44
S17	657	S12 AND (SNP or polymorphism or polymorphic) AND exon	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 11:47
S18	236	S12 AND (SNP or polymorphism or polymorphic) AND exon AND (("1660" and "1649") or ("1629" and "1640"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 11:48
S19	5	S12 AND ((SNP or polymorphism or polymorphic) same (("1660" and "1649") or ("1629" and "1640")))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 11:48

In an effort to enhance your experience with STN, we would like to better understand what you find useful. Please take approximately 5 minutes to complete a web survey.

If you provide us with your name, login ID, and e-mail address, you will be entered in a drawing to win a free iPod(R). Your responses will be kept confidential and will help us make future improvements to STN.

Take survey: http://www.zoomerang.com/survey.zgi?p=WEB2259HNKWTUW

Thank you in advance for your participation.

FILE 'HOME' ENTERED AT 11:59:46 ON 31 MAY 2006

=> index all

FILE 'ENCOMPLIT2' ACCESS NOT AUTHORIZED

FILE 'ENCOMPPAT2' ACCESS NOT AUTHORIZED

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.21 0.21

FULL ESTIMATED COST

INDEX 'ABI-INFORM, ADISCTI, AEROSPACE, AGRICOLA, ALUMINIUM, ANABSTR, ANTE, APOLLIT, AQUALINE, AQUASCI, AQUIRE, BABS, BIBLIODATA, BIOENG, BIOSIS, BIOTECHABS, BIOTECHDS, BIOTECHNO, CABA, CAOLD, CAPLUS, CASREACT, CBNB, CEABA-VTB, CERAB, CHEMINFORMRX, CHEMSAFE, ...'

ENTERED AT 12:00:12 ON 31 MAY 2006

135 FILES IN THE FILE LIST IN STNINDEX

Enter SET DETAIL ON to see search term postings or to view search error messages that display as 0* with SET DETAIL OFF.

- => s (aspergillosis) AND (sp-a2 or (sp (2a) a2) or psap or sftp1 or sftpa)
 - 2 FILE BIOSIS
 - 2 FILE BIOTECHABS
 - 2 FILE BIOTECHDS
 - 1 FILE BIOTECHNO
 - 2 FILE CABA
 - 4 FILE CAPLUS
 - 26 FILES SEARCHED...
 - 9 FILE DGENE
 - 47 FILES SEARCHED...
 - 3 FILE EMBASE
 - 3 FILE ESBIOBASE
 - 2 FILE IFIPAT
 - 70 FILES SEARCHED...
 - 2 FILE INPADOC
 - 1 FILE LIFESCI
 - 2 FILE MEDLINE
 - 94 FILES SEARCHED...
 - 1 FILE PASCAL
 - 3 FILE PCTFULL
 - 3 FILE SCISEARCH
 - 1 FILE TOXCENTER
- 122 FILES SEARCHED...
 - 4 FILE USPATFULL
 - 1 FILE USPAT2
 - 2 FILE WPIDS
 - 2 FILE WPINDEX
- 21 FILES HAVE ONE OR MORE ANSWERS, 135 FILES SEARCHED IN STNINDEX

QUE (ASPERGILLOSIS) AND (SP-A2 OR (SP (2A) A2) OR PSAP OR SFTP1 OR SFTPA)

=> file medline caplus embase biosis

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 2.44 2.65

FULL ESTIMATED COST

FILE 'MEDLINE' ENTERED AT 12:02:24 ON 31 MAY 2006

FILE 'CAPLUS' ENTERED AT 12:02:24 ON 31 MAY 2006 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'EMBASE' ENTERED AT 12:02:24 ON 31 MAY 2006 Copyright (c) 2006 Elsevier B.V. All rights reserved.

FILE 'BIOSIS' ENTERED AT 12:02:24 ON 31 MAY 2006 Copyright (c) 2006 The Thomson Corporation

=> s (aspergillosis) AND (sp-a2 or (sp (2a) a2) or psap or sftp1 or sftpa) 11 (ASPERGILLOSIS) AND (SP-A2 OR (SP (2A) A2) OR PSAP OR SFTP1 OR L_2 SFTPA)

=> dup remove 12 PROCESSING COMPLETED FOR L2 6 DUP REMOVE L2 (5 DUPLICATES REMOVED) 1.3

=> d ti 1-6

- ANSWER 1 OF 6 MEDLINE on STN DUPLICATE 1 T.3
- Role of collectins in innate immunity against aspergillosis. TТ
- ANSWER 2 OF 6 EMBASE COPYRIGHT (c) 2006 Elsevier B.V. All rights 1.3 reserved on STN
- Role of collectins in innate immunity against aspergillosis. ΤI
- ANSWER 3 OF 6 CAPLUS COPYRIGHT 2006 ACS on STN L3
- Method of detection of SP-A2 gene variants useful for TΙ prediction of predisposition to Aspergillosis
- ANSWER 4 OF 6 CAPLUS COPYRIGHT 2006 ACS on STN L3
- PCR and primer for detecting single nucleotide polymorphism in human TT SP-A2 gene useful for prediction of predisposition to aspergillosis
- ANSWER 5 OF 6 L3 MEDLINE on STN **DUPLICATE 2**
- Association of polymorphisms in the collagen region of SP-TТ A2 with increased levels of total IgE antibodies and eosinophilia in patients with allergic bronchopulmonary aspergillosis.
- ANSWER 6 OF 6 EMBASE COPYRIGHT (c) 2006 Elsevier B.V. All rights L3 reserved on STN
- Erratum: Association of polymorphisms in the collagen region of SP TT -A2 with increased levels of total IgE antibodies and eosinophilia in patients with allergic bronchopulmonary aspergillosis (Journal of Allergy and Clinical Immunology (2003) 111 (1001-1007)).

=> d bib 3,4

ANSWER 3 OF 6 CAPLUS COPYRIGHT 2006 ACS on STN 1.3

2004:569756 CAPLUS ΔN

```
DN
     141:83567
TΙ
     Method of detection of SP-A2 gene variants useful for
     prediction of predisposition to Aspergillosis
     Sarma, Puranam Usha; Madan, Taruna; Saxena, Shweta
IN
PA
     U.S. Pat. Appl. Publ., 12 pp., Cont.-in-part of U.S. Ser. No. 102,731.
SO
     CODEN: USXXCO
DT
     Patent
LA
     English
FAN.CNT 2
                 KIND
     PATENT NO.
                                DATE APPLICATION NO. DATE
                                -----
     _____
                                            -----
                        ____
PI US 2004137476 A1
US 2003207275 A1
PRAI US 2002-102731 A2
                                20040715 US 2003-686786 20031017
20031106 US 2002-102731 20020322
                                20020322
     ANSWER 4 OF 6 CAPLUS COPYRIGHT 2006 ACS on STN
L3
     2003:874875 CAPLUS
AN
     139:359846
DN
TΙ
     PCR and primer for detecting single nucleotide polymorphism in human
     SP-A2 gene useful for prediction of predisposition to
     aspergillosis
     Sarma, Puranam Usha; Madan, Taruna; Saxena, Shweta
IN
PA
     India
     U.S. Pat. Appl. Publ., 9 pp.
SO
     CODEN: USXXCO
DT
     Patent
LΑ
     English
FAN.CNT 2
     PATENT NO. KIND
                                DATE APPLICATION NO.
                                                                    DATE
     _____
                         ____
                                -----
                                             ______
                                                                    _____
PI US 2003207275 A1 20031106
US 2004137476 A1 20040715
PRAI US 2002-102731 A2 20020322
                                20031106 US 2002-102731 20020322
20040715 US 2003-686786 20031017
=> s (aspergillosis or (allergic (a) bronchopulmonary (a) mycosis) or abpa)
         26179 (ASPERGILLOSIS OR (ALLERGIC (A) BRONCHOPULMONARY (A) MYCOSIS)
L4
               OR ABPA)
=> s 14 and (sp-a2 or (sp (2a) a2) or psap or sftp1 or sftpa)
L5
            11 L4 AND (SP-A2 OR (SP (2A) A2) OR PSAP OR SFTP1 OR SFTPA)
=> dup remove 15
PROCESSING COMPLETED FOR L5
              6 DUP REMOVE L5 (5 DUPLICATES REMOVED)
L6
=> s 14 and (polymorphi?)
L7
           283 L4 AND (POLYMORPHI?)
=> dup remove 17
PROCESSING COMPLETED FOR L7
            155 DUP REMOVE L7 (128 DUPLICATES REMOVED)
=> s 14 (p) (polymorphi?)
L9
           178 L4 (P) (POLYMORPHI?)
=> dup remove 19
PROCESSING COMPLETED FOR L9
L10
             75 DUP REMOVE L9 (103 DUPLICATES REMOVED)
=> d ti 1-25
L10 ANSWER 1 OF 75 CAPLUS COPYRIGHT 2006 ACS on STN
ΤI
     Polymorphic plasminogen gene associated with susceptibility to
```

aspergillosis

- L10 ANSWER 2 OF 75 MEDLINE on STN DUPLICATE 1
- TI Elevated levels of mannan-binding leptin (MBL) and eosinophilia in patients of bronchial asthma with allergic rhinitis and allergic bronchopulmonary aspergillosis associate with a novel intronic polymorphism in MBL.
- L10 ANSWER 3 OF 75 EMBASE COPYRIGHT (c) 2006 Elsevier B.V. All rights reserved on STN
- TI IL-4 alpha chain receptor (IL-4Ra) polymorphisms in allergic bronchopulmonary sspergillosis.
- L10 ANSWER 4 OF 75 MEDLINE on STN
- TI IL-4 alpha chain receptor (IL-4Ralpha) polymorphisms in allergic bronchopulmonary sspergillosis.
- L10 ANSWER 5 OF 75 CAPLUS COPYRIGHT 2006 ACS on STN
- TI IL-4 alpha chain receptor (IL-4Ra) polymorphisms in allergic bronchopulmonary aspergillosis
- L10 ANSWER 6 OF 75 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Identifying polymorphic variants of the L-SIGN lectin associated with increased susceptibility to infection and their uses
- L10 ANSWER 7 OF 75 MEDLINE on STN DUPLICATE 2
- TI Influence of interleukin-10 on Aspergillus fumigatus infection in patients with cystic fibrosis.
- L10 ANSWER 8 OF 75 MEDLINE on STN DUPLICATE 3
- TI Protective role of interleukin-10 promoter gene **polymorphism** in the pathogenesis of invasive pulmonary **aspergillosis** after allogeneic stem cell transplantation.
- L10 ANSWER 9 OF 75 MEDLINE on STN DUPLICATE 4
- TI Allergic bronchopulmonary aspergillosis in a patient with cystic fibrosis: diagnostic criteria when the IgE level is less than 500 IU/mL.
- L10 ANSWER 10 OF 75 MEDLINE on STN DUPLICATE 5
- TI Use of random amplified microsatellites to type isolates from an outbreak of nosocomial aspergillosis in a general medical ward.
- L10 ANSWER 11 OF 75 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Genes in asthma and allergy
- L10 ANSWER 12 OF 75 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Genetics of fungal allergy
- L10 ANSWER 13 OF 75 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Airway remodeling in fungal allergy
- L10 ANSWER 14 OF 75 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on STN
- TI Feasibility study of a dose dense induction regimen of high dose cytarabine (HiDAC) and gemtuzumab ozogamicin (Mylotarg (TM)) for newly diagnosed elderly patients with acute myeloid leukemia.
- L10 ANSWER 15 OF 75 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Immune responses in allergic bronchopulmonary aspergillosis and fungal allergy
- L10 ANSWER 16 OF 75 MEDLINE on STN DUPLICATE 6
- TI TLR1 and TLR6 **Polymorphisms** Are Associated with Susceptibility to Invasive **Aspergillosis** after Allogeneic Stem Cell Transplantation.

- L10 ANSWER 17 OF 75 MEDLINE on STN DUPLICATE 7
- TI Epidemiological study of invasive pulmonary aspergillosis in a haematology unit by molecular typing of environmental and patient isolates of Aspergillus fumigatus.
- L10 ANSWER 18 OF 75 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Method of detection of SP-A2 gene variants useful for prediction of predisposition to Aspergillosis
- L10 ANSWER 19 OF 75 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Symposium "genome information and infection (application for diagnosis, treatment, and prevention)". Respiratory infection and innate immunity-associated gene polymorphism
- L10 ANSWER 20 OF 75 MEDLINE on STN
- TI Application of molecular biology techniques in the identification of pathogenic fungi and the diagnosis of fungal infection.
- L10 ANSWER 21 OF 75 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on STN
- TI Interleukin-4 receptor alpha (IL-4Ralpha) gene polymorphisms and increased IL-4 stimulated CD23 expression on B-cells in cystic fibrosis (CF) patients with allergic bronchopulmonary aspergillosis (ABPA).
- L10 ANSWER 22 OF 75 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Role of mannose-binding lectin in airway immunity
- L10 ANSWER 23 OF 75 CAPLUS COPYRIGHT 2006 ACS on STN
- TI PCR and primer for detecting single nucleotide polymorphism in human SP-A2 gene useful for prediction of predisposition to aspergillosis
- L10 ANSWER 24 OF 75 MEDLINE on STN DUPLICATE 8
- TI Molecular epidemiology of Aspergillus fumigatus isolates recovered from water, air, and patients shows two clusters of genetically distinct strains.
- L10 ANSWER 25 OF 75 MEDLINE on STN DUPLICATE 9
- TI Differentiation between isolates of Aspergillus fumigatus from breeding turkeys and their environment by genotyping with microsatellite markers.
- => d ti 26-50
- L10 ANSWER 26 OF 75 MEDLINE on STN DUPLICATE 10
- TI Association of polymorphisms in the collagen region of SP-A2 with increased levels of total IgE antibodies and eosinophilia in patients with allergic bronchopulmonary aspergillosis.
- L10 ANSWER 27 OF 75 EMBASE COPYRIGHT (c) 2006 Elsevier B.V. All rights reserved on STN
- TI Erratum: Association of **polymorphisms** in the collagen region of SP-A2 with increased levels of total IgE antibodies and eosinophilia in patients with allergic bronchopulmonary **aspergillosis** (Journal of Allergy and Clinical Immunology (2003) 111 (1001-1007)).
- L10 ANSWER 28 OF 75 MEDLINE on STN DUPLICATE 11
- TI Combined used of RAPD and touchdown PCR for epidemiological studies of Aspergillus fumigatus.
- L10 ANSWER 29 OF 75 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on STN
- TI Voriconazole therapeutic drug monitoring in allogeneic hematopoietic stem

cell transplant (HSCT) recipients: Significance in patients with abnormal hepatic function.

- L10 ANSWER 30 OF 75 MEDLINE on STN DUPLICATE 12
- TI Mycosis in the ear, nose and throat.

DUPLICATE 13

- L10 ANSWER 31 OF 75 MEDLINE on STN
- TI Molecular epidemiology of invasive stomatitis due to Aspergillus flavus in patients with acute leukemia.
- L10 ANSWER 32 OF 75 MEDLINE on STN DUPLICATE 14
- TI Therapeutic effect of interferon-gamma for prevention of severe infection in X-linked chronic granulomatous disease.
- L10 ANSWER 33 OF 75 MEDLINE on STN DUPLICATE 15
- TI Genetics of idiopathic disseminated bronchiectasis.
- L10 ANSWER 34 OF 75 MEDLINE on STN DUPLICATE 16
- TI MHC restriction in allergic bronchopulmonary aspergillosis.
- L10 ANSWER 35 OF 75 MEDLINE on STN DUPLICATE 17
- TI The complex history of a gene proposed to participate in a sexual isolation mechanism in house mice.
- L10 ANSWER 36 OF 75 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Cryptococcosis in Australasia and the treatment of cryptococcal and other fungal infections with liposomal amphotericin B
- L10 ANSWER 37 OF 75 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on STN
- TI Genetic Polymorphisms of CYP2C19 in Acute Myeloid Leukemia Patients Treated with Voriconazole.
- L10 ANSWER 38 OF 75 MEDLINE on STN DUPLICATE 18
- TI Genetic **polymorphism** of Aspergillus fumigatus in clinical samples from patients with invasive **aspergillosis**: investigation using multiple typing methods.
- L10 ANSWER 39 OF 75 MEDLINE on STN DUPLICATE 19
- TI Mannose-binding lectin gene polymorphisms as a susceptibility factor for chronic necrotizing pulmonary aspergillosis.
- L10 ANSWER 40 OF 75 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on STN
- TI Evaluation and use of three PCR-based typing methods for Aspergillus fumigatus isolates.
- L10 ANSWER 41 OF 75 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on STN
- TI Molecular typing of Aspergillus fumigatus recovered from water and patients.
- L10 ANSWER 42 OF 75 MEDLINE on STN DUPLICATE 20
- TI Acquired itraconazole resistance in Aspergillus fumigatus.
- L10 ANSWER 43 OF 75 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on
- TI Allelic polymorphism of the HLA-DRbeta and HLA-DQbeta loci in allergic bronchopulmonary aspergillos (ABPA).
- L10 ANSWER 44 OF 75 MEDLINE on STN DUPLICATE 21
- TI Use of a repetitive DNA probe to type clinical and environmental isolates of Aspergillus flavus from a cluster of cutaneous infections in a neonatal intensive care unit.

- L10 ANSWER 45 OF 75 MEDLINE on STN DUPLICATE 22
- TI Characterization of a possible nosocomial aspergillosis outbreak.
- L10 ANSWER 46 OF 75 MEDLINE on STN DUPLICATE 23
- TI Multilocus enzyme electrophoresis analysis of Aspergillus fumigatus strains isolated from the first clinical sample from patients with invasive aspergillosis. EBGA Network. European Research Group on Biotype and Genotype of Aspergillus.
- L10 ANSWER 47 OF 75 MEDLINE on STN DUPLICATE 24
- TI Molecular typing of Aspergillus terreus isolates by random amplification of polymorphic DNA.
- L10 ANSWER 48 OF 75 MEDLINE on STN DUPLICATE 25
- TI Density and molecular epidemiology of Aspergillus in air and relationship to outbreaks of Aspergillus infection.
- L10 ANSWER 49 OF 75 MEDLINE on STN DUPLICATE 26
- TI Reduced nucleotide variability at an androgen-binding protein locus (Abpa) in house mice: evidence for positive natural selection.
- L10 ANSWER 50 OF 75 MEDLINE on STN DUPLICATE 27
- TI HLA-DR polymorphism in allergic bronchopulmonary aspergillosis.
- => d ti 51-75
- L10 ANSWER 51 OF 75 MEDLINE on STN DUPLICATE 28
- TI Two novel mutations in a cystic fibrosis patient of Chinese origin.
- L10 ANSWER 52 OF 75 MEDLINE on STN DUPLICATE 29
- TI Combination of three typing methods for the molecular epidemiology of Aspergillus fumigatus infections. European Research Group on Biotype and Genotype of Aspergillus.
- L10 ANSWER 53 OF 75 MEDLINE on STN DUPLICATE 30
- TI Microsatellite markers for typing Aspergillus fumigatus isolates.
- L10 ANSWER 54 OF 75 MEDLINE on STN DUPLICATE 31
- TI Molecular diagnosis and epidemiology of fungal infections.
- L10 ANSWER 55 OF 75 MEDLINE on STN DUPLICATE 32
- TI Itraconazole resistance in Aspergillus fumigatus.
- L10 ANSWER 56 OF 75 MEDLINE on STN DUPLICATE 33
- TI Molecular typing of Aspergillus fumigatus strains by sequence-specific DNA primer (SSDP) analysis.
- L10 ANSWER 57 OF 75 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on STN
- TI Analysis of HLA-DRB1 gene polymorphism in allergic bronchopulmonary aspergillosis (ABPA).
- L10 ANSWER 58 OF 75 MEDLINE on STN DUPLICATE 34
- TI Value of environmental sampling and molecular typing of aspergilli to assess nosocomial sources of aspergillosis.
- L10 ANSWER 59 OF 75 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on STN
- TI Genotypic characterization of sequential Aspergillus fumigatus isolates from patients with cystic fibrosis.
- L10 ANSWER 60 OF 75 MEDLINE on STN DUPLICATE 35
- TI Molecular epidemiology of apparent outbreak of invasive aspergillosis in a

hematology ward.

- L10 ANSWER 61 OF 75 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on STN
- TI Detection and typing of Aspergillus fumigatus isolates by RAPD technique.
- L10 ANSWER 62 OF 75 EMBASE COPYRIGHT (c) 2006 Elsevier B.V. All rights reserved on STN DUPLICATE 36
- TI [RAPD typing of Aspergillus fumigatus strains. Epidemiological applications on a hospital site].

 TYPAGE MOLECULAIRE D'ASPERGILLUS FUMIGATUS PAR LA TECHNIQUE DE RANDOM AMPLIFIED POLYMORPHIC DNA (RAPD). APPLICATIONS EPIDEMIOLOGIQUES EN MILIEU HOSPITALIER.
- L10 ANSWER 63 OF 75 MEDLINE on STN
- TI Use of randomly amplified **polymorphic** DNA markers (RAPD) to demonstrate nosocomial contamination in a case of lethal invasive aspergillosis.
- L10 ANSWER 64 OF 75 MEDLINE on STN DUPLICATE 37
- TI Comparison of three typing methods for clinical and environmental isolates of Aspergillus fumigatus.
- L10 ANSWER 65 OF 75 MEDLINE on STN DUPLICATE 38
- TI Virulence of Aspergillus fumigatus strains investigated by random amplified polymorphic DNA analysis.
- L10 ANSWER 66 OF 75 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on STN
- TI RAPD typing of Aspergillus fumigatus strains isolated from patients and environmental samples during an outbreak of invasive aspergillosis in bone marrow transplant unit.
- L10 ANSWER 67 OF 75 EMBASE COPYRIGHT (c) 2006 Elsevier B.V. All rights reserved on STN
- TI Use of randomly amplified **polymorphic** DNA markers (RAPD) to demonstrate nosocomial contamination in a case of lethal invasive aspergillosis [3].
- L10 ANSWER 68 OF 75 MEDLINE on STN DUPLICATE 39
- TI Investigation of an epidemic of invasive **aspergillosis**: utility of molecular typing with the use of random amplified **polymorphic** DNA probes.
- L10 ANSWER 69 OF 75 MEDLINE on STN DUPLICATE 40
- TI Molecular epidemiological study of invasive pulmonary aspergillosis in a renal transplantation unit.
- L10 ANSWER 70 OF 75 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Salivary androgen-binding protein variation in Mus and other rodents
- L10 ANSWER 71 OF 75 MEDLINE on STN DUPLICATE 41
- TI Chromosomal location of the mouse gene that encodes the myelin-associated glycoproteins.
- L10 ANSWER 72 OF 75 MEDLINE on STN DUPLICATE 42
- TI The genes for mouse salivary androgen-binding protein (ABP) subunits alpha and gamma are located on chromosome 7.
- L10 ANSWER 73 OF 75 EMBASE COPYRIGHT (c) 2006 Elsevier B.V. All rights reserved on STN
- TI Pathogenetic and serological aspects of pulmonary aspergillosis.
- L10 ANSWER 74 OF 75 MEDLINE on STN
- TI Pathogenetic and serological aspects of pulmonary aspergillosis.

L10 ANSWER 75 OF 75 MEDLINE on STN DUPLICATE 43

TI Localized lymphoid nodules of lung. A reappraisal of the lymphoma versus pseudolymphoma dilemma.

=> d bib 1

L10 ANSWER 1 OF 75 CAPLUS COPYRIGHT 2006 ACS on STN

AN 2006:215412 CAPLUS

DN 144:252184

TI Polymorphic plasminogen gene associated with susceptibility to aspergillosis

IN Zaas, Aimee; Schwartz, David A.; Peltz, Gary A.

PA Duke University, USA; Roche Palo Alto LLC

SO U.S. Pat. Appl. Publ., 111 pp. CODEN: USXXCO

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE	
ΡI	US 2006051780	A1	20060309	US 2005-108459	20050418	
PRAI	US 2004-563126P	P	20040416			

=> d bib 12

L10 ANSWER 12 OF 75 CAPLUS COPYRIGHT 2006 ACS on STN

AN 2006:210650 CAPLUS

TI Genetics of fungal allergy

AU Chauhan, B.; Hutcheson, P. S.; Slavin, R. G.

CS Department of Internal Medicine, Saint Louis University School of Medicine, St. Louis, MO, 63104, USA

SO Mold Allergy, Biology and Pathogenesis (2005), 309-322. Editor(s): Kurup, Viswanath P. Publisher: Research Signpost, Trivandrum, India. CODEN: 69HWKC; ISBN: 81-308-0050-0

DT Conference

LA English

RE.CNT 93 THERE ARE 93 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d bib 20

L10 ANSWER 20 OF 75 MEDLINE on STN

AN 2004517658 IN-PROCESS

DN PubMed ID: 15489939

TI Application of molecular biology techniques in the identification of pathogenic fungi and the diagnosis of fungal infection.

AU Li Ruo-yu; Li Dong-ming; Yu Jin; Liu Wei; Ji Zhao-hui; Wang Duan-li

CS Department of Dermatology, Peking University First Hospital, Peking University Research Center for Medical Mycology, Beijing 100034, China.. lrywdh@public.bta.net.cn

SO Beijing da xue xue bao. Yi xue ban = Journal of Peking University. Health sciences, (2004 Oct) Vol. 36, No. 5, pp. 536-9.

Journal code: 101125284. ISSN: 1671-167X.

CY China

DT Journal; Article; (JOURNAL ARTICLE)

LA Chinese

FS NONMEDLINE; IN-PROCESS; NONINDEXED; Priority Journals

ED Entered STN: 19 Oct 2004 Last Updated on STN: 19 Dec 2004

=> d bib 23

L10 ANSWER 23 OF 75 CAPLUS COPYRIGHT 2006 ACS on STN

AN 2003:874875 CAPLUS

DN 139:359846

TI PCR and primer for detecting single nucleotide polymorphism in human SP-A2 gene useful for prediction of predisposition to aspergillosis

IN Sarma, Puranam Usha; Madan, Taruna; Saxena, Shweta

PA India

SO U.S. Pat. Appl. Publ., 9 pp. CODEN: USXXCO

DT Patent

LA English

FAN. CNT 2

11111.0111.								
PATENT NO.	KIND	DATE	APPLICATION NO.	DATE				
		-						
PI US 2003207275	A1	20031106	US 2002-102731	20020322				
US 2004137476	A1	20040715	US 2003-686786	20031017				
PRAI US 2002-102731	A2	20020322						

=> d bib 28

L10 ANSWER 28 OF 75 MEDLINE on STN DUPLICATE 11

AN 2003495948 MEDLINE

DN PubMed ID: 14572378

- TI Combined used of RAPD and touchdown PCR for epidemiological studies of Aspergillus fumigatus.
- AU Trevino-Castellano Mercedes; Rodriguez-Novoa Sonia; Llovo-Taboada Jose; Garcia-Zabarte Angeles; Garcia-Riestra Carlos; Regueiro-Garcia Benito Jose
- CS Servicio de Microbiologia. Complejo Hospitalario Universitario de Santiago de Compostela (CHUS). A Coruna. Espana.. mecedes.trevino.castellano@sergas .es
- SO Enfermedades infecciosas y microbiologia clinica, (2003 Nov) Vol. 21, No., 9, pp. 472-6.

 Journal code: 9104081. ISSN: 0213-005X.

CY Spain

- DT (EVALUATION STUDIES)

 Journal; Article; (JOURNAL ARTICLE)

 (VALIDATION STUDIES)
- LA English; Spanish
- FS Priority Journals

EM 200403

ED Entered STN: 24 Oct 2003

Last Updated on STN: 26 Mar 2004 Entered Medline: 25 Mar 2004

=> d bib 38

L10 ANSWER 38 OF 75 MEDLINE on STN DUPLICATE 18

AN 2001460247 MEDLINE

DN PubMed ID: 11325982

- TI Genetic **polymorphism** of Aspergillus fumigatus in clinical samples from patients with invasive **aspergillosis**: investigation using multiple typing methods.
- AU Bertout S; Renaud F; Barton R; Symoens F; Burnod J; Piens M A; Lebeau B; Viviani M A; Chapuis F; Bastide J M; Grillot R; Mallie M
- CS Laboratoire d'Immunologie et de Parasitologie, MNERT-EA 2413, Universite de Montpellier, Av. Charles Flahault, 34060 Montpellier Cedex 2, France. (European Research Group on Biotype and Genotype of Aspergillus).
- SO Journal of clinical microbiology, (2001 May) Vol. 39, No. 5, pp. 1731-7. Journal code: 7505564. ISSN: 0095-1137.
- CY United States

- DT Journal; Article; (JOURNAL ARTICLE)
- LA English
- FS Priority Journals
- EM 200108
- ED Entered STN: 20 Aug 2001

Last Updated on STN: 20 Aug 2001 Entered Medline: 16 Aug 2001

=> d bib 40

- L10 ANSWER 40 OF 75 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on STN
- AN 2002:520571 BIOSIS
- DN PREV200200520571
- TI Evaluation and use of three PCR-based typing methods for Aspergillus fumigatus isolates.
- AU Lasker, B. A. [Reprint author]
- CS Centers for Disease Control and Prevention, Atlanta, GA, USA
- SO Abstracts of the Interscience Conference on Antimicrobial Agents and Chemotherapy, (2001) Vol. 41, pp. 368. print.

 Meeting Info.: 41st Annual Meeting of the Interscience Conference on Antimicrobial Agents and Chemotherapy. Chicago, Illinois, USA. September 22-25, 2001.
- DT Conference; (Meeting)
 - Conference; Abstract; (Meeting Abstract)
 - Conference; (Meeting Poster)
- LA English
- ED Entered STN: 9 Oct 2002

Last Updated on STN: 9 Oct 2002

=> d bib 52

L10 ANSWER 52 OF 75 MEDLINE on STN

DUPLICATE 29

- AN 1999142753 MEDLINE
- DN PubMed ID: 9989647
- TI Combination of three typing methods for the molecular epidemiology of Aspergillus fumigatus infections. European Research Group on Biotype and Genotype of Aspergillus.
- AU Rodriguez E; Symoens F; Mondon P; Mallie M; Piens M A; Lebeau B; Tortorano A M; Chaib F; Carlotti A; Villard J; Viviani M A; Chapuis F; Nolard N; Grillot R; Bastide J M
- CS Laboratoire d'Immunologie et Parasitologie, Faculte de Pharmacie, Montpellier, France.
- SO Journal of medical microbiology, (1999 Feb) Vol. 48, No. 2, pp. 181-94. Journal code: 0224131. ISSN: 0022-2615.
- CY ENGLAND: United Kingdom
- DT Journal; Article; (JOURNAL ARTICLE)
 (MULTICENTER STUDY)
 (CLINICAL TRIAL)
- LA English
- FS Priority Journals
- EM 199902
- ED Entered STN: 1 Mar 1999

Last Updated on STN: 1 Mar 1999 Entered Medline: 18 Feb 1999

=> d bib 56

L10 ANSWER 56 OF 75 MEDLINE on STN DUPLICATE 33

- AN 97214990 MEDLINE
- DN PubMed ID: 9061355
- TI Molecular typing of Aspergillus fumigatus strains by sequence-specific DNA

primer (SSDP) analysis.

- AU Mondon P; Brenier M P; Symoens F; Rodriguez E; Coursange E; Chaib F; Lebeau B; Piens M A; Tortorano A M; Mallie M; Chapuis F; Carlotti A; Villard J; Viviani M A; Nolard N; Bastide J M; Ambroise-Thomas P; Grillot R
- CS Laboratoire Relation Hote-Agents Pathogenes, UPRES-A CNRS 5082, La Tronche, France.
- SO FEMS immunology and medical microbiology, (1997 Feb) Vol. 17, No. 2, pp. 95-102.

Journal code: 9315554. ISSN: 0928-8244.

- CY Netherlands
- DT Journal; Article; (JOURNAL ARTICLE)
- LA English
- FS Priority Journals
- EM 199705
- ED Entered STN: 9 Jun 1997

Last Updated on STN: 29 Jan 1999 Entered Medline: 29 May 1997

=> d bib 61

- L10 ANSWER 61 OF 75 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on STN
- AN 1996:499636 BIOSIS
- DN PREV199699221992
- TI Detection and typing of Aspergillus fumigatus isolates by RAPD technique.
- AU Rinyu, E.; Varga, J.; Ferenczy, L.
- CS Dep. Microbiol., Attila Jozsef Univ., Szeged, Hungary
- SO Acta Microbiologica et Immunologica Hungarica, (1996) Vol. 43, No. 2-3, pp. 246.

Meeting Info.: 13th Congress of the Hungarian Society for Microbiology. Budapest, Hungary. August 23-25, 1995.

ISSN: 1217-8950.

DT Conference; (Meeting)

Conference; Abstract; (Meeting Abstract)

- LA English
- ED Entered STN: 4 Nov 1996

Last Updated on STN: 4 Nov 1996

=> FIL STNGUIDE

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 70.30 72.95

FULL ESTIMATED COST

FILE 'STNGUIDE' ENTERED AT 12:13:15 ON 31 MAY 2006
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE
AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

FILE CONTAINS CURRENT INFORMATION.

LAST RELOADED: May 26, 2006 (20060526/UP).

- => s l4 (p) (polymorphi? or SNP)
 - 0 ASPERGILLOSIS
 - 0 ALLERGIC
 - 0 BRONCHOPULMONARY
 - 0 MYCOSIS
 - 0 ABPA
 - 0 POLYMORPHI?
 - 0 SNP
 - 2 SNPS
 - 2 SNP

(SNP OR SNPS)

=> logoff

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF

LOGOFF? (Y)/N/HOLD:Y

COST IN U.S. DOLLARS

SINCE FILE ENTRY SESSION

TOTAL

FULL ESTIMATED COST

0.12

73.07

STN INTERNATIONAL LOGOFF AT 12:14:24 ON 31 MAY 2006